

# PROFESSIONAL PERFORMANCE EVERY DAY

## Equipment Solutions



**BETCO**®



# Equipment Innovations



## Betco® Equipment. Machines that Meet the Need.

Betco has applied over 65 years of industry experience into creating the most comprehensive cleaning maintenance products and programs ever supplied by one manufacturer. Our cutting edge equipment reduce labor costs, increase efficiency and optimize processes through cleaning innovation.

## Betco Warranty Express

Backed by an industry leading warranty, Betco equipment is built to provide years of reliable service. Betco Warranty Express™ is a comprehensive product support program that offers extensive 10/3/3\* parts and labor coverage on all machines.

*\*For 10/3/3 coverage details, view our entire warranty policy at [betco.com](http://betco.com).*

Get Connected.



Stay Connected.

## Small Area Automatic Scrubbers


Traditionally, small areas have been cleaned with a mop and bucket delivering poor sanitation, low productivity, poor ergonomics and leaving the potential for costly slips and falls. At Betco®, we know that there is a better way to clean. So drop the mop and ban the bucket, start to clean faster, better, safer, and more cost effectively with Betco small area cleaning equipment.

| Product / Item #  | Benefits / Features   | Productivity   | Dimensions  |
|---|---|--|---|
| <b>MotoMop®</b><br>Small Area Cleaning Machine<br>E84700-00<br>           | <b>True clean. Up to 400% faster!</b> <ul style="list-style-type: none"> <li>Removes up to 98% more soil than a mop and bucket.</li> <li>Small area cleaning and spill clean-up and recovery.</li> <li>360° motion to clean in all directions.</li> <li>Lithium ion battery with 3 year full warranty.</li> </ul>   | Up to 7,320 sq.ft./hr.   | Length: 17.5"<br>Width: 16"<br>Height: 51"<br>                              |
| <b>Genesys™ 15</b><br>15" Cylindrical Automatic Scrubber<br>E88900-00<br> | <b>Greatest versatility, clean any small area!</b> <ul style="list-style-type: none"> <li>Powerful cylindrical scrub brush for hard surfaces.</li> <li>Multiple tool options create 4 machines in 1 - carpet extractor, upholstery spotter, wet/dry vacuum, and solution sprayer.</li> <li>Ergonomic handle design, easy operator controls.</li> <li>15" medium duty brush included.</li> </ul>     | Up to 10,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E88624-00 - Brush, General Scrubbing<br>E88681-00 - Brush, Grit Stripping<br>EP50167-00 - Hard Surface Tool Kit<br>EP50168-00 - Carpet and Upholstery Tool Kit<br>E88976-00 - Solution Spray Wand<br>EP50170-00 - Complete Master Tool Kit | Length: 31"<br>Height: 22"<br>Width: 19"<br>                                |
| <b>Genie™ B</b><br>All Purpose Automatic Scrubber<br>E83039-00<br>        | <b>Goes anywhere a mop and bucket can go!</b> <ul style="list-style-type: none"> <li>Compact size cleans tight spaces.</li> <li>Low 69 dB noise level is ideal for use in occupied spaces.</li> <li>Onboard charger with maintenance free battery.</li> <li>Use for daily scrubbing of VCT, resilient, concrete, textured/grouted floors.</li> <li>General purpose scrub brush included.</li> </ul> | Up to 11,560 sq.ft./hr.<br><b>Optional Accessories</b><br>E82408-00 - Pad Holder<br>E82526-00 - Brush, Medium Scrubbing<br>EP50061-00 - Battery & Charger Kit  | Length: 27"<br>Width: 17"<br>Height: 17" storage<br>Height: 44" upright<br> |

## Stealth™ Automatic Scrubbers





| Product / Item #   | Benefits / Features  | Productivity  | Dimensions   |
|--|--|---|--|
| <b>Stealth™ ASD20B</b><br>20" Automatic Scrubber w/brush assist<br>E87030-00 - w/ 2-12V 130AH Wet Battery, 12 Amp Charger<br>E88062-00 - w/ 2-12V 110AH AGM Battery, 12 Amp Charger<br>          | <b>Compact, powerful design offers increased productivity.</b> <ul style="list-style-type: none"> <li>Innovative design is 4X quieter than other automatic scrubbers on the market.</li> <li>Rugged weighted squeegee removes water to reduce slip and fall injuries.</li> <li>Ideal for day cleaning.</li> <li>20" pad holder included.</li> </ul>                          | Up to 20,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E88330-00 - Brush, General Scrubbing<br>E88269-00 - Brush, Medium Scrubbing<br>E88270-00 - Brush, Heavy Duty Scrubbing<br>E88271-00 - Brush, Grit Stripping | Length: 45"<br>Height: 39"<br>Width: 21" w/o squeegee<br>Width: 30" w/squeegee<br> |
| <b>Stealth™ ASD20BT</b><br>20" Automatic Scrubber w/traction drive<br>E87030-00 - w/ 2-12V 130AH Wet Battery, 12 Amp Charger<br>E88062-00 - w/ 2-12V 110AH AGM Battery, 12 Amp Charger<br>       | <b>Compact, powerful design offers increased productivity.</b> <ul style="list-style-type: none"> <li>Innovative design is 4X quieter than other automatic scrubbers on the market.</li> <li>Rugged weighted squeegee removes water to reduce slip and fall injuries.</li> <li>Ideal for day cleaning.</li> <li>20" pad holder included.</li> </ul>                          | Up to 20,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E88330-00 - Brush, General Scrubbing<br>E88269-00 - Brush, Medium Scrubbing<br>E88270-00 - Brush, Heavy Duty Scrubbing<br>E88271-00 - Brush, Grit Stripping | Length: 45"<br>Height: 39"<br>Width: 21" w/o squeegee<br>Width: 30" w/squeegee<br> |
| <b>Stealth™ ASO20BT</b><br>20" Orbital Automatic Scrubber w/traction drive<br>E89769-00 - w/ 2-12V 130AH Wet Battery, 12Amp Charger<br>E89770-00 - w/ 2-12V 110AH AGM Battery, 12Amp Charger<br> | <b>Powerful cleaning and finish removal in one compact, quiet design.</b> <ul style="list-style-type: none"> <li>Boasts 110 lb of down pressure - the highest down pressure in the 10-12 gallon scrubber category.</li> <li>Removes layers of even the hardest finishes in one pass.</li> <li>Ideal for day cleaning or finish removal with 4X quieter operation.</li> </ul> | Up to 20,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E89831-00 - Red Floor Pad, 20" x 14" (5/case)<br>E84057-00 - Pad, Maroon Stripping, 14"x20" (10/case)   | Length: 42"<br>Height: 39"<br>Width: 20" w/o squeegee<br>Width: 30" w/squeegee<br> |

# 20" Automatic Scrubbers

| Product / Item #   | Benefits / Features  | Productivity   | Dimensions   |
|--|--|--|--|
| <b>Crewman™ AS20B</b><br>20" Automatic Scrubber w/brush assist<br>E29936-00 - w/2-12V 115AH Wet Battery, 12 Amp Charger<br>E83025-00 - w/2-12V 130AH Wet Battery, 12 Amp Charger<br>E29937-00 - w/2-12V 110AH AGM Battery, 12 Amp Charger<br> | <b>Simple design and rugged construction provide great value.</b> <ul style="list-style-type: none"> <li>Simple touch button controls make training easy</li> <li>Weighted squeegee maximizes water recovery.</li> <li>Sleek body design is perfect for small and congested areas.</li> <li>20" pad holder is included.</li> </ul> | Up to 15,000 sq.ft./hr.  | Length: 43"<br>Height: 38"<br>Width: 22" w/o squeegee<br>Width: 30" w/squeegee |
|  |  | <b>Optional Accessories</b><br>E88330-00 - Brush, General Scrubbing<br>E88269-00 - Brush, Medium Scrubbing<br>E88270-00 - Brush, Heavy Duty Scrubbing<br>E88271-00 - Brush, Grit Stripping |  |



# GeneSys™ Mid-Size Automatic Scrubbers

| Product / Item #   | Benefits / Features  | Productivity  | Dimensions  |
|--|--|---|---|
| <b>GeneSys™ 26D</b><br>26" Disk Auto Scrubber<br>E27200-00 - (4) 6V 260AH Wet Battery<br>E27212-00 - (4) 6V 220AH AGM Battery<br>Additional configurations available<br>        | <b>Clean faster and with less effort.</b> <ul style="list-style-type: none"> <li>Best performance specifications in its class</li> <li>SoliChem Technology (standard) reduces daily chemical costs by up to 80%</li> <li>Airoflex Squeegee Technology (standard) increases vacuum by up to 40%</li> <li>Upgrade to Touch Encoder with EfficiencyIQ - maximizes productivity every day</li> <li>Fortify Asset Protection &amp; Management suite focuses on extending machine life and lowering cost of ownership</li> <li>Two 13" pad holders included</li> </ul>           | Up to 29,000 sq.ft./hr.   | Length: 55"<br>Width: 28" w/o squeegee<br>Width: 35" w/ squeegee<br>Height: 44" |
|  |  | <b>Optional Accessories</b> <ul style="list-style-type: none"> <li>Wet Battery Protection System</li> <li>Armor Telemetry</li> <li>BlueTooth Battery Gauge</li> <li>Programmable Timer Lock-out</li> <li>General Purpose Brush</li> <li>SoliChem Chemicals - pH7 Ultra or BioActives Grease Solv</li> </ul> |   |
| <b>GeneSys™ 28D</b><br>28" Disk Auto Scrubber<br>E27300-00 - (4) 6V 260AH Wet Battery<br>E27312-00 - (4) 6V 220AH AGM Battery<br>Additional configurations available<br>      | <b>Clean faster and with less effort.</b> <ul style="list-style-type: none"> <li>Best performance specifications in its class</li> <li>SoliChem Technology (standard) reduces daily chemical costs by up to 80%</li> <li>Airoflex Squeegee Technology (standard) increases vacuum by up to 40%</li> <li>Upgrade to Touch Encoder with EfficiencyIQ - maximizes productivity every day</li> <li>Fortify Asset Protection &amp; Management suite focuses on extending machine life and lowering cost of ownership</li> <li>Two 14" pad holders included</li> </ul>           | Up to 31,500 sq.ft./hr.   | Length: 56"<br>Width: 30" w/o squeegee<br>Width: 40" w/ squeegee<br>Height: 44" |
|  |  | <b>Optional Accessories</b> <ul style="list-style-type: none"> <li>Wet Battery Protection System</li> <li>Armor Telemetry</li> <li>BlueTooth Battery Gauge</li> <li>Programmable Timer Lock-out</li> <li>General Purpose Brush</li> <li>SoliChem Chemicals - pH7 Ultra or BioActives Grease Solv</li> </ul> |   |
| <b>GeneSys™ 32D</b><br>32" Disk Auto Scrubber<br>E27500-00 - (4) 6V 260AH Wet Battery<br>E27512-00 - (4) 6V 220AH AGM Battery<br>Additional configurations available<br>      | <b>Clean faster and with less effort.</b> <ul style="list-style-type: none"> <li>Best performance specifications in its class</li> <li>SoliChem Technology (standard) reduces daily chemical costs by up to 80%</li> <li>Airoflex Squeegee Technology (standard) increases vacuum by up to 40%</li> <li>Upgrade to Touch Encoder with EfficiencyIQ - maximizes productivity every day</li> <li>Fortify Asset Protection &amp; Management suite focuses on extending machine life and lowering cost of ownership</li> <li>Two 16" pad holders included</li> </ul>           | Up to 36,000 sq.ft./hr.   | Length: 59"<br>Width: 34" w/o squeegee<br>Width: 45" w/ squeegee<br>Height: 44" |
|  |  | <b>Optional Accessories</b> <ul style="list-style-type: none"> <li>Wet Battery Protection System</li> <li>Armor Telemetry</li> <li>BlueTooth Battery Gauge</li> <li>Programmable Timer Lock-out</li> <li>General Purpose Brush</li> <li>SoliChem Chemicals - pH7 Ultra or BioActives Grease Solv</li> </ul> |   |
| <b>GeneSys™ 28ORB</b><br>28" Orbital Auto Scrubber<br>E27400-00 - (4) 6V 260AH Wet Battery<br>E27412-00 - (4) 6V 220AH AGM Battery<br>Additional configurations available<br> | <b>Clean faster and with less effort.</b> <ul style="list-style-type: none"> <li>Best performance specifications in its class</li> <li>SoliChem Technology (standard) reduces daily chemical costs by up to 80%</li> <li>Airoflex Squeegee Technology (standard) increases vacuum by up to 40%</li> <li>Upgrade to Touch Encoder with EfficiencyIQ - maximizes productivity every day</li> <li>Fortify Asset Protection &amp; Management suite focuses on extending machine life and lowering cost of ownership</li> <li>One 28" x 14" pad drive plate included</li> </ul> | Up to 31,500 sq.ft./hr.   | Length: 54"<br>Width: 29" w/o squeegee<br>Width: 40" w/ squeegee<br>Height: 44" |
|  |  | <b>Optional Accessories</b> <ul style="list-style-type: none"> <li>Wet Battery Protection System</li> <li>Armor Telemetry</li> <li>BlueTooth Battery Gauge</li> <li>Programmable Timer Lock-out</li> <li>General Purpose Brush</li> <li>SoliChem Chemicals - pH7 Ultra or BioActives Grease Solv</li> </ul> |   |









## Stealth™ Automatic Riding Scrubbers

| Product / Item #  | Benefits / Features   | Productivity  | Dimensions  |
|---|---|---|---|
| <b>Stealth™ DRS21BT</b><br><b>MicroRiding Scrubber</b><br>E29961-00 - w/2-12V 130AH Wet Battery, 12 Amp Charger<br>E29962-00 - w/2-12V 110AH AGM Battery, 12 Amp Charger<br>E29963-00 - w/2-12V 155AH Wet Battery, 12 Amp Charger<br> | <b>The most compact ride-on scrubber.</b> <ul style="list-style-type: none"> <li>Cleans 30,000 square feet per hour, reducing cleaning costs by 36%.</li> <li>Exclusive ECO-Mode technology reduces noise level to 54 dBA and lowers energy consumption.</li> <li>Large tank size provides extended runtime.</li> <li>21" pad holder included.</li> </ul> | Up to 30,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E22654-00 - Brush, General Scrubbing<br>E22655-00 - Brush, Medium Scrubbing<br>E22656-00 - Brush, Heavy Duty Scrubbing                                      | Length: 52"<br>Height: 47"<br>Width: 23" w/o squeegee<br>Width: 30" w/squeegee<br>  |
| <b>Stealth™ DRS26BT</b><br><b>Automatic Rider Scrubber</b><br>E29926-00 - w/4-6V 235AH Wet Battery, 25 Amp Charger<br>E29927-00 - w/4-6V 200AH AGM Battery, 25 Amp Charger<br>  | <b>Highest productivity, simple design.</b> <ul style="list-style-type: none"> <li>Innovative design is 4X quieter than other automatic scrubbers on the market.</li> <li>1-Touch Intelligent Drive Control System.</li> <li>Simple operator controls.</li> <li>Ideal for day cleaning.</li> <li>Two 13" pad holders included.</li> </ul>                 | Up to 42,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E81681-00 - Brush, General Scrubbing<br>E82850-00 - Brush, Medium Scrubbing<br>E82851-00 - Brush, Heavy Duty Scrubbing<br>E82852-00 - Brush, Grit Stripping | Length: 62"<br>Height: 54"<br>Width: 27" w/o squeegee<br>Width: 35" w/squeegee<br>  |
| <b>Stealth™ DRS32BT</b><br><b>Automatic Rider Scrubber</b><br>E29931-00 - w/4-6V 235AH Wet Battery, 25 Amp Charger<br>E29932-00 - w/4-6V 200AH AGM Battery, 25 Amp Charger<br>  | <b>Highest productivity, simple design.</b> <ul style="list-style-type: none"> <li>Innovative design is 4X quieter than other automatic scrubbers on the market.</li> <li>1-Touch Intelligent Drive Control System.</li> <li>Simple operator controls.</li> <li>Ideal for day cleaning.</li> <li>Two 16" pad holders included.</li> </ul>                 | Up to 55,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E22093-00 - Brush, General Scrubbing<br>E89557-00 - Brush, Medium Scrubbing<br>E22092-00 - Brush, Heavy Duty Scrubbing<br>E22094-00 - Brush, Grit Stripping | Length: 62"<br>Height: 54"<br>Width: 33" w/o squeegee<br>Width: 41" w/ squeegee<br> |









## High Speed Burnishers

| Product / Item #   | Benefits / Features   | Productivity   | Dimensions              |
|--|---|--|-------------------------|
| <b>Crewman™ 1600</b><br><b>20" High Speed Burnisher</b><br>E83015-00<br><b>Crewman™ 2000</b><br><b>20" High Speed Burnisher</b><br>E83016-00<br> | <b>Value positioned.</b> <ul style="list-style-type: none"> <li>Fully adjustable handle can be used in floating or locked position.</li> <li>Rugged durability, heavy duty 1.5 hp motor.</li> <li>Precision balanced, flexible pad driver offers an even burnish.</li> <li>Use for dry and restorative burnishing.</li> </ul>   | Up to 16,000 sq.ft./hr.  | Pad size: 20"<br>       |
| <b>Optima XR Series</b><br><b>High Speed Burnishers</b><br>E12800-00 (21")<br>E12830-00 (27")<br>E12850-00 (27" w/Dust Control)<br>              | <b>Up to 27% More Fuel Efficient.</b> <ul style="list-style-type: none"> <li>XR (Xtended Run) due to exclusive, high-efficiency fuel delivery system.</li> <li>Increased gloss with increased pad speed.</li> <li>Powerful Kawasaki 603cc engine with certified EPA emissions.</li> <li>Premium cast aluminum deck and heavy-duty components.</li> <li>Industry leading 3-year warranty.</li> </ul> | Up to 34,000 sq.ft./hr.<br><b>Optional Accessories</b><br>Emission Monitoring System<br>Centrifugal Clutch | Pad sizes: 21", 27"<br> |





# Floor Machines

| Product / Item #  | Benefits / Features   | Productivity  | Dimensions                     |   |
|---|---|---|--------------------------------|---|
| <b>Crewman™ 17HD</b><br>17" Standard Floor Machine<br>E83013-00<br><b>Crewman™ 20HD</b><br>20" Standard Floor Machine<br>E83014-00<br> | <b>Value positioned.</b> <ul style="list-style-type: none"> <li>Precision balancing reduces operator fatigue.</li> <li>Rugged durability, heavy-duty 1.5 hp motor, triple planetary steel gearbox.</li> <li>Use for stripping, scrubbing, spray buffing and carpet bonneting.</li> </ul>  | Up to 1,100 sq.ft./hr. buffing and scrubbing<br><b>20 Optional Accessories</b><br>E83186-00 - Pad Holder<br>E87001-00 - Poly Scrub Brush<br>E87002-00 - Nylon Carpet Brush<br>E87003-00 - Brush, Grit Stripping<br>E87004-00 - Brush, Grit Scrubbing<br>E83187-00 - Solution Tank | Pad size: 17"<br>Pad size: 20" |  |
| <b>Foreman® 20DS</b><br>20" Dual Speed Floor Machine<br>E83010-00<br>  | <b>Versatile, select 175 or 330 RPM's to strip, scrub or buff.</b> <ul style="list-style-type: none"> <li>Hour meter to manage maintenance and usage.</li> <li>Durable roto-mold construction, heavy duty 1.5 hp motor, triple planetary steel gearbox.</li> <li>Use for stripping, scrubbing, spray buffing and carpet bonneting.</li> </ul> | Up to 1,100 sq.ft./hr. buffing and scrubbing<br><b>17 Optional Accessories</b><br>E83185-00 - Pad Holder<br>E87012-00 - Poly Scrub Brush<br>E87013-00 - Nylon Carpet Brush<br>E87014-00 - Brush, Grit Stripping<br>E87015-00 - Brush, Grit Scrubbing<br>E83187-00 - Solution Tank | Pad size: 20"                  |  |



# Floor Strippers

| Product / Item #  | Benefits / Features   | Productivity  | Dimensions                                 |   |
|---|---|---|--|---|
| <b>Crewman™ 20 ORB</b><br>20" Orbital Strip Machine<br>E12801-00 - 20" Standard Machine<br>E12806-00 - 20" Machine w/Weights<br> | <b>Safely and effectively strip and prep any floor surface.</b> <ul style="list-style-type: none"> <li>High speed 3,400 RPM orbital motor quickly cuts through the toughest coatings without the use of harsh chemicals.</li> <li>Cast iron base and optional weight system provide maximum durability.</li> <li>Optional dust containment system easily connects to any dry vacuum.</li> </ul> | Up to 7,000 sq. ft./hr. on Wood Floors<br>Up to 2,700 sq. ft./hr. on VCT Floors<br><b>Optional Accessories</b><br>EP50249 - 20" Dust Containment Kit  | Length: 22"<br>Width: 16"<br>Height: 46"   |  |
| <b>Crewman™ 28 ORB</b><br>28" Orbital Strip Machine<br>E12811-00 - 28" Machine w/Weights<br>                                     | <b>Safely and effectively strip and prep any floor surface.</b> <ul style="list-style-type: none"> <li>High speed 3,400 RPM orbital motor quickly cuts through the toughest coatings without the use of harsh chemicals.</li> <li>Cast iron base and optional weight system provide maximum durability.</li> <li>Optional dust containment system easily connects to any dry vacuum.</li> </ul> | Up to 10,000 sq. ft./hr. on Wood Floors<br>Up to 3,600 sq. ft./hr. on VCT Floors<br><b>Optional Accessories</b><br>EP50250 - 28" Dust Containment Kit | Length: 30"<br>Width: 16"<br>Height: 46"   |  |
| <b>Big Bertha®</b><br>30" Stripping Machine<br>E12327-00<br>   | <b>Most productive machine for stripping large areas and excessive finish build up.</b> <ul style="list-style-type: none"> <li>Triple counter-rotating brushes easily remove multiple layers of floor finish in a single pass.</li> <li>Rugged powder coated steel construction for heavy use in tough environments.</li> <li>Floating shroud contains stripper/prevents splashing.</li> </ul>  | Up to 30,000 sq.ft./hr.   | Length: 57"<br>Width: 33"<br>Height: 43.5" |  |
| <b>Lil Bertha®</b><br>24" Stripping Machine<br>E88398-00<br>   | <b>Most productive machine for stripping large areas and excessive finish build up.</b> <ul style="list-style-type: none"> <li>Triple counter-rotating brushes easily remove multiple layers of floor finish in a single pass.</li> <li>Rugged powder coated steel construction for heavy use in tough environments.</li> <li>Floating shroud contains stripper/prevents splashing.</li> </ul>  | Up to 24,000 sq.ft./hr.   | Length: 54"<br>Width: 27"<br>Height: 43.5" |  |





## Concrete & Terrazzo Polishers

| Product / Item #   | Benefits / Features  | Productivity           | Dimensions   |
|--|--|------------------------|--|
| <b>Crete Rx™ CP30</b><br>Concrete / Terrazzo Polishing Machine<br>E29810-00<br>   | <b>Highest depth of gloss. Up to 10X faster.</b> <ul style="list-style-type: none"> <li>Dual-direction floating head at high RPM produces the highest gloss.</li> <li>Aggressive down pressures up to 715 lbs. hones and polishes in as little as 1-2 passes.</li> <li>Tough steel body construction carries a “concrete grade” gearbox and durable 18HP EPA/CARB certified engine.</li> </ul> | Up to 3,375 sq.ft./hr. | Length: 79<br>Width: 32<br>Height: 46<br> |
| <b>Crete Rx™ CM30</b><br>Concrete / Terrazzo Maintenance Machine<br>E29805-00<br> | <b>Quick, affordable concrete maintenance.</b> <ul style="list-style-type: none"> <li>Propane power with planetary drive performs Crete Rx™ honing and polishing with ease.</li> <li>Smaller footprint with aggressive, high-speed RPM.</li> <li>All steel construction with EPA/CARB certified engine.</li> </ul>   | Up to 3,375 sq.ft./hr. | Length: 79<br>Width: 32<br>Height: 46<br> |











## Wet / Dry Vacuums

| Product / Item #   | Benefits / Features   | Productivity   | Dimensions   |
|--|---|--|--|
| <b>Workman® 20</b><br>Wet / Dry Vacuum<br>E83012-00<br> | <b>Innovative “tip and pour” design makes emptying easy, large 20 gallon capacity.</b> <ul style="list-style-type: none"> <li>Powerful 1.75 hp motor offers maximum recovery in wet and dry applications.</li> <li>Multi task tool kit included, optional front mount squeegee available.</li> <li>Use for all types of wet or dry vacuuming on hard floor and carpet.</li> </ul> | Up to 8,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E83011-00 - Front Mount Squeegee<br>E83594-00 - HEPA Filter | Width: 20.5" w/o squeegee<br>Width: 29" w/squeegee<br>Height: 39.75"<br> |

## Dry Vacuums

| Product / Item #  | Benefits / Features   | Productivity   | Dimensions  |
|---|---|--|---|
| <b>PowerUp 14</b><br>Upright Vacuum<br>E29990-00<br>           | <b>Powerful dual motor system optimizes cleaning, includes onboard tool kit with telescoping wand.</b> <ul style="list-style-type: none"> <li>Standard HEPA filter, filters out 99.97% of contaminants @ 3 microns.</li> <li>Expanded wheel base and locking foot pedal to maximize stability.</li> <li>Use for carpet, blinds and upholstery vacuuming.</li> </ul> | Up to 3,300 sq.ft./hr.   | Length: 8" Base<br>Width: 14"<br>Height: 46" handle upright<br>Height: 6" handle lowered<br> |
| <b>Bac Pac Lite</b><br>5 Liter Bac Pac Vacuum<br>E85903-00<br> | <b>Lightweight ergonomic design helps prevent operator fatigue.</b> <ul style="list-style-type: none"> <li>Less than 70 dB sound level, ideal for use in occupied spaces.</li> <li>Use for residential, commercial carpet, office partitions, blinds, draperies, vent and duct cleaning.</li> </ul>   | 7,500 sq.ft./hr. (FLOORS)<br>2,900 sq.ft./hr. (STAIRWAYS)<br>2,200 sq.ft./hr. (PARTITIONS) | Height: 22.5"<br>  |

# Carpet Machines

| Product / Item #   | Benefits / Features   | Productivity   | Dimensions  |
|--|---|--|---|
| <b>FiberCAP® 15</b><br>Carpet Machine<br>E29974-00<br>                  | <p><i>Efficiently agitates low moisture encapsulation cleaner into the carpet fibers and lifts the carpet pile for improved appearance.</i></p> <ul style="list-style-type: none"> <li>Optional side dust bins transform the machine into an effective carpet sweeper.</li> <li>Twin Cylindrical Brushes.</li> </ul>  | Up to 7,500 sq.ft./hr.   | Length: 15"<br>Height with Handle: 45.75"<br>  |
| <b>FiberPRO® 8</b><br>Self Contained Carpet Extractor<br>E87304-00<br>  | <p><i>Deep cleans all types of carpets in a single pass improving maximizing productivity.</i></p> <ul style="list-style-type: none"> <li>Preferred method of cleaning, uses less chemical and allows carpets to dry in less than 24 hrs.</li> <li>Unique roller support bar evenly balances machine helping reduce operator fatigue.</li> <li>Carpet and Rug Institute certified (CRI).</li> </ul>         | Up to 2,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E85516-00 - 20' Vac & Solution Hose Assembly<br>E85519-00 - Stainless Steel Carpet Wand<br>E85523-00 - 3" Hand Tool | Length: 41"<br>Width: 17.5"<br>Height: 34"<br> |
| <b>FiberPRO® 20</b><br>Self Contained Carpet Extractor<br>E87303-00<br> | <p><i>Deep cleans all types of carpets in a single pass improving maximizing productivity.</i></p> <ul style="list-style-type: none"> <li>Self propelled, variable speed; multiple brush settings.</li> <li>Floating vacuum shoe provides high water recovery reducing dry times.</li> <li>Large 20 gallon capacity for cleaning large areas.</li> <li>Carpet and Rug Institute certified (CRI).</li> </ul> | Up to 8,000 sq.ft./hr.<br><b>Optional Accessories</b><br>E85516-00 - 20' Vac & Solution Hose Assembly<br>E85519-00 - Stainless Steel Carpet Wand<br>E85523-00 - 3" Hand Tool | Length: 49"<br>Width: 22"<br>Height: 41"<br>   |
| <b>FiberPRO® Carpet Spotter</b><br>Carpet Spotter<br>E85509-00<br>    | <p><i>Effectively removes spots and soils from carpeting and upholstery.</i></p> <ul style="list-style-type: none"> <li>Retractable handle and wide wheel base make transport easy.</li> <li>Optional floor wand available for cleaning stairs and larger areas.</li> </ul>   | <b>Optional Accessories</b><br>E85524-00 - Stainless Steel Carpet Wand   | Length: 21"<br>Width: 13"<br>Height: 23"<br>  |
| <b>FiberPRO® Air Mover</b><br>Floor Dryer<br>E89968-00<br>            | <p><i>Powerful 1500 RPM airflow accelerates dry times.</i></p> <ul style="list-style-type: none"> <li>Rugged roto-mold construction, 3 speed settings.</li> <li>Stackable design for increased airflow and easy storage.</li> <li>Extend reach and increase air flow with daisy-chain multi-unit capability</li> <li>Three operating positions: 0°, 45° and 90°.</li> </ul>                                 | N/A  | Length: 15"<br>Width: 15"<br>Height: 15"<br> |



888-GO BETCO | betco.com

©2021 Betco Corporation  
 All Rights Reserved.  
 400 Van Camp Road  
 Bowling Green, Ohio 43402  
 Item #91777-92

